

P.O. Box 159, 6700 AD WAGENINGEN, THE NETHERLANDS Nieuwe Kanaal 9F, 6709 PA WAGENINGEN, THE NETHERLANDS

Telephone: +31 (0) 317 45 34 25 E: mail@skh.nl | **W**: skh.nl

SKH QUALITY DECLARATION

Screws for wood and wood-based board materials

SKH declares hereby that

SPAX International GmbH & Co. KG.

Kölner straße 71-77 D*58256 Ennepetal Germany

has an internal quality system that is aimed at preventing possible complaints about screws or handling them correctly.

The SPAX screws are produced at SPAX International GmbH & Co. KG.

SKH evaluates the manufacturer's internal Quality Management System. Based on this, SKH concludes that there is confidence that the values SPAX declares are correct.

Annually, SKH checks if the properties of the screws do not differ more than 5% in comparison with earlier results.

This SKH Quality Declaration, number SKH-013, is valid for the screws mentioned in Appendix 1.

This SKH-Quality Declaration, number SKH-013 was first issued on November 28th 2019 onward and will only be withdrawn if it shows that this SKH-regulation is no longer used in good order and correctness in handling complaints.

This SKH Quality Declaration, consists of 3 pages, including the appendix.

Validity can be checked on http://www.skh.nl.

On behalf of SKH:

Drs. H.J.O. van Doorn

Date: 10 December 2019

Supersedes version: 28 November 2019

SKH

This SKH-Quality Declaration remains property of SKH If requested, the SKH-Quality declaration and all copies have to be returned to SKH

SKH#F

Appendix 1

SKH-QUALITY-DECLARATION 'SCREWS FOR WOOD AND WOOD-BASED BOARD MATERIALS

SKH-NUMBER: SKH-013

1 Marks

Each package must be marked with the SKH-Quality mark Execution must be done as follows:

- logo SKH-Quality Declaration:
- charge number:
- production date:
- SKH-number: SKH-013



2 Product description

Type screw:	SPAX flat countersunk head
Material:	blue zinc plated or WIROX coating, yellow zinc plated or
	YELLOX coating
Diameter:	max 6.0 mm
	'
Type screw:	SPAX flat countersunk head
Material:	Stainless steel
Diameter:	max 6.0 mm
Type screw:	SPAX pan head
Material:	Carbon steel; blue zinc plated or WIROX coating, yellow zinc
	plated or YELLOX coating
Diameter:	max 6.0 mm
Type screw:	SPAX pan head
Material:	Stainless steel
Diameter:	max 6.0 mm
	·
Type screw:	SPAX FEX flat countersunk head for window construction
Material:	Carbon steel; blue zinc plated or WIROX coating, yellow zinc
	plated or YELLOX coating, titanium silver A3J
Diameter:	max 6.0 mm
	·
Type screw:	SPAX raised countersunk head
Material:	Carbon steel; blue zinc plated or WIROX coating, yellow zinc
	plated or YELLOX coating, nickel plated E1J
Diameter:	max 6.0 mm
	'
Type screw:	SPAX raised countersunk head
Material:	Stainless steel
Diameter:	max 6.0 mm



Appendix 1

SKH-QUALITY-DECLARATION 'SCREWS FOR WOOD AND WOOD-BASED BOARD MATERIALS

SKH-NUMBER: SKH-013

Type screw:	SPAX washer head
Material:	blue zinc plated or WIROX coating, yellow zinc plated or
	YELLOX coating
Diameter:	max 6.0 mm
	•
Type screw:	SPAX washer head
Material:	Stainless steel
Diameter:	max 6.0 mm
Type screw:	SPAX cylinder head decking screws
Material:	Stainless steel
Diameter:	max 6.0 mm
Type screw:	SPAX FEX-H flat countersunk head for
	window construction
Material:	titanium silver A3J, blue zinc plated or WIROX coating, yellow
	zinc plated or YELLOX coating
Diameter:	max 4.0 mm
Type screw:	SPAX washer head
Material:	Carbon steel, blue zinc plated or WIROX coating
Diameter:	5.0 mm